

Full Service Analytical & Environmental Solutions

TTHM/HAA5 – IDSE

Disinfection Byproducts Analysis
Note: All information must be supplied for compliance credit.

Main Office: 449 Springbrook Road P.O. Box 240543 Charlotte, NC 28224-0543 Phone: 704/529-6364

> 1/800/529-6364 Fax: 704/525-0409

WAT	ER SYS	ГЕМ ID #:		c	ounty:		
Name	of Water	System:					
Locati	on Where	e Collected:					
IDSE Sample Type: ☐ Near Entry Point ☐ Average Residence Time ☐ High TTHM ☐ High HAA5							
Facilit	y ID No.	IDSE Samp	le Point: <u>IDSI</u>	<u>C</u>			
Locati	on Code:		ection Date Collection	on Time			
Collected By:							
	• –	(water system re	(Please Print)		(N	M/DD/YY)	(Specify AM or PM)
IVIZII E	·	(water system re	presentative).		Phone #:	: ()	· · · · · · · · · · · · · · · · · · ·
Fax #: ()							
Responsible Person's email:							
					<del> </del>		·
LABO ONTAM CODE	CONTAMINANT METHOD CODE I		REQUIRED REPORTING LIMIT (R.R.L.)	NOT DETECTED (i.e. < R.R.L.) (X)	QUANTIFIED RESULTS*	ALLOWABLE LIMIT	
2950	Total T	rihalomethanes		0.0010 mg/L		mg/L	0.080 mg/L
2456	Total Haloacetic Acids			0.0020 mg/L		mg/L	0.060 mg/L
·	*Note	e: If result exceeds all	lowable limit, the la	boratory must fax analy	tical results to the St	tate within 48 hours.	
gradule of the chief with the chief							
ANTAT VOIDO DESCRIPT			DATE:		TIME: : . M		
ANALYSES BEGUN: ANALYSES COMPLETED:			(MM/DD/YY)		:,		
ANALISES COMILEIED:				(ММЛ			PM)
Labora	tory Log #	f:		Certified By: _			
				, <u> </u>	(Print and sign name)		
COMM	IENT:						

## Instructions

## TTHM/HAA5 - IDSE

- 1. THE CLIENT IS RESPONSIBLE FOR COMPLETING ALL INFORMATION ABOVE THE DOUBLE LINE. Failure to complete all the information may result in rejection of the samples. Please <u>print</u> all information and make sure the information is legible.
- 2. The samples must be collected in the glass bottles supplied by this laboratory. Use the clear bottles for the TTHM samples and the amber for the HAA5s. There is a preservative in the bottles so do not rinse the bottles. Samples must be immediately packed with ice upon collection and be kept at 4.0° C. Samples being shipped must also be on ice. SAMPLES NOT ADEQUATELY CHILLED UPON DELIVERY TO THE LAB WILL BE REJECTED AND WILL NOT BE TESTED.
- 3. Let the water run from the tap at almost full flow for at least five (5) minutes. Reduce the flow, then fill each glass sample bottle slowly (in order to prevent air bubbles from passing through the sample) to just overflowing taking care not to flush out the sample preservative that is already in the bottle. After collecting the sample in the bottle containing the preservative, seal the bottle with the screw cap. There should be no air bubbles present. If air bubbles exist, open the bottle, add a few drops of water and seal again. Shake or agitate by hand for 1 minute.
- 4. Collect both TTHM and HAA5 samples from an established sampling location within the distribution system at the same location and time. (This established sampling location must be designated as the "Location Code" on the lab form.) Systems must collect the appropriate number and type of samples as outlined in the Stage 2 Disinfectants and Disinfection Byproducts Rule. All distribution samples collected for TTHM/HAA5-IDSE compliance purposes must have the "IDSE Sample Type" marked as either "Near Entry Point," "Average Residence Time," "High TTHM," or "High HAA5."
- 5. Place the samples and completed sample collection form in the shipping container. Forward all samples to the laboratory immediately after collection to avoid exceeding the allowable holding time to begin the analysis.
- 6. After the samples are analyzed, regulations require that the laboratory mail the original results of all compliance samples to the Public Water Supply Section (Attention: Data Entry), 1634 Mail Service Center, Raleigh, NC 27699-1634. A copy will be sent to the client, and the client shall retain the copy for at least twelve (12) years.
- 7. If the form should be returned to the client marked "Sample Unsatisfactory," this means another sample must be collected. The COMMENTS section on front of the form will give the reason.
- 8. Calculation of the Total Trihalomethanes or Total Haloacetic Acids is determined by adding the quantified results of the individual contaminants within each group. A contaminant having a "Not Detected" value is calculated as a "zero." If <u>all</u> the contaminants for either the TTHM or HAA5 are "Not Detected," then the Total will also be marked as "Not Detected."

## **IDSE SAMPLE TYPE**

**Near Entry Point:** 

A sample collected from a point in the distribution system that represents the water entering the

distribution system for compliance monitoring.

**Average Residence** 

Time:

A sample collected from a point in the distribution system that represents the water's average

residence time for compliance monitoring.

**High TTHM:** 

A sample collected from a point in the distribution system that represents the water's highest expected

TTHM levels throughout the year for compliance monitoring.

High HAA5:

A sample collected from a point in the distribution system that represents the water's highest expected

HAA5 levels throughout the year for compliance monitoring.